

Notice of Allowability

Application No.

09/884,062

Examiner

Lauren Q Wells

Applicant(s)

LAPIDUS, HERBERT

Art Unit

1617

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the Amendment filed 3/15/04.
2. ☒ The allowed claim(s) is/are 1,3,4,7,9,10,13-25 and 27-32, renumbered as claim > 1-20, 23-25, & 21-22, respectively.
3. ☐ The drawings filed on _____ are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
 - * Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date _____
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____.

DETAILED ACTION

Claims 1, 3-4, 7, 9-10, 13-25, 27-32 are pending. The Amendment filed 3/15/04, cancelled claim 8 and amended claims 1, 9, 21, 23, and 28.

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Elizabeth Holowacz on 7/22/04.

The application has been amended as follows:

- 1) Cancel claim 26.
- 2) In claim 27, part (a), insert the following between the terms "composition" and "capable" in line 2 of part (a), "according to claim 1,".

- 3) Add the following two claims:

31. A vaginal or hemorrhoidal foam wipe kit comprising:

(a) a propellantless finger actuated mechanical pump dispenser containing a propellant-free foamable aqueous composition according to claim 21, capable of forming a stable foam on dispensing; and

(b) a disposable substrate for receiving the stable foam.

32. A vaginal or hemorrhoidal foam wipe kit comprising:

Art Unit: 1617

(a) a propellantless finger actuated mechanical pump dispenser containing a propellant-free foamable aqueous composition according to claim 23, capable of forming a stable foam on dispensing; and

(b) a disposable substrate for receiving the stable foam.

4) On page 10, line 30, of the specification, a) insert the term “and” before the term “valve”, and b) insert the number “32” following the term “valve”.

5) On page 11, line 1, of the specification, replace the number “5,443,589” with the number “5,443,569”.

Reasons for Allowance

The following is an examiner’s statement of reasons for allowance:

Claims 1, 3-4, 7, 9-10, 13-25, 27-32 are allowable, as the prior art neither anticipates nor renders obvious the instant composition.

The closest prior art is US 5,858,371, US 5,635,469, US 5,141,803, and EP 1 055 424. However, there is not motivation to combine these references to arrive at the instant composition. Specifically, the combination of the above references does not render obvious the instant composition, wherein the surfactant is a combination of polysorbate 20, triethanolamine-cocyl glutamate and disodium cocamphodiacetate.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled “Comments on Statement of Reasons for Allowance.”

Art Unit: 1617


Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Lauren Q Wells whose telephone number is 571-272-0634. The examiner can normally be reached on M&R (5:30-4).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Sreeni Padmanabhan can be reached on 571-272-0629. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

lqw


SREENI PADMANABHAN
SUPERVISORY PATENT EXAMINER